Body	SmartPak Econo
Length	11ft. 5.5 inches
Width	90"
Headroom	78"
Height from ground	9 ft. 10 inches
Drink Storage	
Side Roll Up Drink Doors	(2) Driver Side - 52'W x 43"H
	(1) Passenger Side - 52"W x 43"H

Drink Rack Depth Drink Rack Capacity Rear Roll Up Door	22" 60 cases bottles 40"W - 75" H
Snack Storage	
Total Snack Shelf Space	71 Lineal Feet
Snack Shelf Depth	22"
Driver Side Snack Shelf Space	(6) Rear shelves - 19.5" W x 11"H
	(4) Shelves - 52"W x 16" H. Two above eac
Passenger Side Snack Shelf Space	(6) Rear shelves - 19.5" W x 11"H (6) Curbside Shelves - 52"W x 11" H
	(2) Shelves - 52" W x 16" H. One above dr
Above Cooler Snack Storage	N/A
**Cooler Options	Omnicube TR 71-60 (63" L x 35.5" D x 68" Omnicube TR 21-17 (30.25" L x 28" D x 70 Omnicube TC 12-10 (27.75" L x 28.75" D x Omnicube TC 12-11 (28.25" L x 30.06" D x Omnicube TC 15-12 (27.75" L x 28.75" D x Omnicube TC 17-14 (27.75" L x 28.75" D x Omnicube TC 19-16 (27.75" L x 28.75" D x
Pre-Kit Tote Storage	

Total Tote Shelf Space	71 Lineal Feet
Tote Shelf Depth	22"
*Tote Truck Capacity	32 Totes
*Driver Side Tote Space Capacity	5 Totes = Rear Shelves
	8 Totes = Above Drink bays.
*Passenger Side Tote Space Capacity	5 Totes = Rear Shelves
	10 Totes = Curbside Shelves
	4 Totes = Above Drink Bay

Chassis Recommendations

* Based on Akron Mills Tote Dimension 24" L x 19.5" W x 12.5" H

** Cooler options can reduce drink and snack storage capacities. For a full listing o

Standard Features Two or three overhead dome lights and roof air vents with switch located inside at Interior Roof Insulation Aluminum wrap around bumper with 5 position safety grill adjustable step under dc Rubber bumper docks Aluminum interlock floor panels with safety tread Drop frame rear to allow lower walk-in access Aluminum roll up doors w/central lock system and deluxe locks All roll up doors are spring loaded to ensure counterbalanceing Extruded door track with replaceable liner Pass-through design with retainers and 3" floor pitch to prevent product shift All-aluminum snack shelves-infinitely adjustable on vertical tracks for easy transition Optional Features Double swing-out rear door - 38"W x 75"H

Safe - Hackney roll-top with one door: 12"w x 20"d x 27"h/two door:12"w x 20'd x Hackney roll-top with 2 doors: 12"w x 20"d x 37"h Insulation Packages: Floor, roll-up doors, front and rear side panels Hot Water Type Heater - 20,000 BTU Salem hingeless roof vents: (1) front; (1) rear - 4" x 9" Custom paint and decal Coolers Back-up alarm 8" eyeball rear crossview mirror Mud flaps Coolers: Omnicube and Cornish coolers and refrigerators

SmartPak Classic	SmartPak Extra
13ft. 8 inches	15ft. 5.5 inches
90"	90"
78"	78"
9 ft. 10 inches	9 ft. 10 inches
(2) Driver Side - 52'W x 43"H	(2) Driver Side - 52'W x 4

43"H (2) Passenger Side - 52"W x 43"H (2) Passenger Side - 52"W x 43"H

80 cases bottles 40"W - 75" H	80 cases bottles 40"W - 75" H
81 Lineal Feet 22"	92 Lineal Feet 22"
	(6) Rear shelves - 68" W x 11"H
(4) Shelves - 52"W x 16.5" H. Two above ea (4) Shelves - 52"W x 16.5" H. Two abov	
(6) Rear shelves - 46" W x 11"H (4) Shelves - 52"W x 16.5" H. Two above ea ink bay.	
N/A	N/A
Omnicube TR 71-60 (63" L x 35.5" D x 68" I	Omnicube TR 71-60 (63" L x 35.5" D x 6
Omnicube TR 21-17 (30.25" L x 28" D x 70.	
Omnicube TC 12-10 (27.75" L x 28.75" D x	Omnicube TC 12-10 (27.75" L x 28.75" [
Omnicube TC 12-11 (28.25" L x 30.06" D x	Omnicube TC 12-11 (28.25" L x 30.06" [
Omnicube TC 15-12 (27.75" L x 28.75" D x	4 Omnicube TC 15-12 (27.75" L x 28.75" [
Omnicube TC 17-14 (27.75" L x 28.75" D x	5 Omnicube TC 17-14 (27.75" L x 28.75" [
Omnicube TC 19-16 (27.75" L x 28.75" D x	5 Omnicube TC 19-16 (27.75" L x 28.75" [

81 Lineal Feet	92 Lineal Feet
22"	22"
32 Totes	40
6 Totes = Rear Shelves	9 Totes = Rear Shelves
8 Totes = Above Drink bays.	8 Totes = Above Drink bays.
10 Totes = Rear Shelves	15 Totes = Rear Shelves
8 Totes = Above Drink bays.	8 Totes = Above Drink bays.

rear of body and master switch in cab

oor

n to product mix or pre-kit totes

37"H

SmartPak FlowThru 15ft. 5.5 inches 90" 78" 9 ft. 10 inches (1) Driver Side - 39'W x 43"H (1) Driver Side - 52'W x 43"H (1) Passenger Side - 39'W x 43"H (1) Passenger Side - 52"W x 43"H 22" 72 cases bottles 40"W - 75" H 81 Lineal Feet 22" (6) Rear shelves - 46" W x 11"H (2) Shelves - 39"W x 16.5" H. Two above each bay. (2) Shelves - 52"W x 16.5" H. Two above each bay. (6) Rear shelves - 46" W x 11"H (2) Shelves - 39"W x 16.5" H. Two above each bay. (2) Shelves - 52"W x 16.5" H. Two above each bay. Shelf over top of cooler full width body x 17"h clearance Hackney Integral FlowThru Refrigeration Compartment Size: 84"L x 33" W x 60" H Two Outside Access Doors Capacity (appx. 70cubic feet) (30) food trays on slides - tray size 19.125w x 13.125L x 6.6875h (6) standard milk cases on floor Thermo King 110volt, 1/2 HP compressor unit with shoreline power connector and cutoff switch Passive cold plate type refrigeration - plug in over-night and requires no power source during route 81 Lineal Feet

22"
36 Totes
6 Totes = Rear Shelves
4 Totes = Above 39" Drink Bay
8 Totes = Above 52" Drink Bay
6 Totes = Rear Shelves
4 Totes = Above 39" Drink Bay
8 Totes = Above 39" Drink Bay